



Section B-B



Section A-A



Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

05/03 - Rev.: 00 - Page: 1/5

F:\CAIXAS ACÚSTICAS\SUBGRAVES\HB1805A1\HB1805A1INGLÊS

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com


SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br

Is a folded horn that features excellent performance in the bass and sub-bass frequency range which can be used from 40 to 100 Hz with maximum efficiency.

Components:

18SW1P or 18SW2P subwoofer or
WPU1805 or WPU1807 woofer (1 piece)



Projection Angle:

First

Specifications subject to
change without notice.

05/03 - Rev.: 00 - Page: 2/5

F:\CAIXAS ACÚSTICAS\SUBGRAVES\HB1805A1\HB1805A1INGLÊS

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br

NOTES:

Net internal volume of the 18" low frequency driver chamber: 140 liters.

Perimeter of the mouth of the horn: 205 centimeters.

Medium lenght of the folded horn: 111,7 centimeters.


Cut off Frequency:

18" Speaker: Low: 40 Hz.
High: 100 Hz.


Reccomended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

Item	Qty	Description	Material	Notes
1	2	Top / Botton	Plywood 20 mm	
2	2	Lateral	Plywood 20 mm	
3	1	Front Panel	Plywood 20 mm	
4	2	Frame 2	Plywood 20 mm	
5	2	Frame 1	Plywood 20 mm	
6	1	Internal Panel 1	Plywood 20 mm	
7	1	Back Panel	Plywood 20 mm	
8	4	Partition 3	Plywood 20 mm	
9	2	Partition 4	Plywood 20 mm	
10	1	Internal Panel 2	Plywood 20 mm	
11	2	Partition 5	Plywood 20 mm	
12	2	Frame 1	Plywood 20 mm	


Specifications subject to
change without notice.




Item 1
Qty: 2 pieces




item 3
Qty: 1 piece




Item 7
Qty: 1 piece



Item 12
Qty: 2 pieces



Item 2
Qty: 2 pieces



Item 8
Qty: 4 pieces

Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

05/03 - Rev.: 00 - Page: 4/5


F:\CAIXAS ACÚSTICAS\SUBGRAVES\HB1805A1\HB1805A1INGLÊS

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com


SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br



Dimensions in cm.

Projection Angle:

First 

Specifications subject to
change without notice.

05/03 - Rev.: 00 - Page: 5/5

F:\CAIXAS ACÚSTICAS\SUBGRAVES\HB1805A1\HB1805A1INGLÊS

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br